



INDIFRAME

India's Fastest-Growing
Windows & Doors Brand



Scan to connect



Contents

●	About Us	01
●	Global Expertise	03
●	Vertically Intergrated Manufacturing	04
●	Supply Chain & Quailty Control	06
●	Product Range	08
	▪ Variety & Design Options	
	▪ 60 Series Casement System	
	▪ Monorail (Fixed + Sliding) System	
	▪ 62/90/112 Series Sliding System	
	▪ 80/99 Series Sliding System	
	▪ Slide & Fold System	
	▪ Tilt & Turn System	
	▪ Auxiliary Profiles	
	▪ Options & Add-Ons	
●	Features & Benefits	35
●	Awards & Media Mentions	36
●	Certifications	37
●	Clientele	38
●	Locations	39

INDIFRAME

Where the world meets your home



About Us

IndiFrame is one of India's fastest growing window and door system brands, built on a foundation of engineering discipline and dependable service. Our tech-enabled processes and capable design and installation teams help us deliver consistency in a category known for uncertainty.

Made in India, Made for India.

Our systems are shaped by over 25 years of global experience, bringing together material understanding, precision standards, and long-term performance.

What sets us apart is our focus on doing things right and a commitment to solutions that last. This approach guides our journey as we work to make windows and doors more reliable, accessible, and built for real Indian living.

3.31L

SQ FT Covered

5213

Projects Delivered

150

Locations Served

ISO 9001: 2015

Certified

Our Vision

To be the leading provider of innovative, tailored, and comprehensive fenestration solutions that transform spaces and elevate the quality of life.

Our Mission

To deliver exceptional fenestration solutions that prioritise quality, durability, aesthetics, and service by building a process-driven and customer-centric organisation powered by technical expertise.




Global Expertise and Backing

IndiFrame brings together expertise from across markets to build systems that work for Indian homes. Our leadership and technical partners give us a strong foundation of knowledge, precision, and process discipline. This combination enables us to deliver consistent quality, reliable performance, and solutions that stand steady over time.

Designed in India. Validated with global engineering insight. Built to last.



Vertically Integrated Manufacturing



**25,000 sq. ft.
Centre of Excellence
in Hyderabad**

**Monthly capacity of 80,000 sq. ft,
Scalable up to 100,000 sq. ft**

Consistent Quality At Scale

We bring together global experience and disciplined engineering to create systems that work reliably for real Indian living. Our focus is clarity, consistency, and solutions that last, without compromising on quality, comfort, or design.

Manufacturing

Our dedicated 25,000 sq. ft. Centre of Excellence in Hyderabad fabricates finished uPVC windows and doors. Equipped with advanced Turkish CNC machinery, this facility delivers precise cuts, strong welds, and uniform finishing. With a monthly capacity of 80,000 sq. ft., scalable to 100,000 sq. ft., it supports both residential projects and large-scale institutional developments with dependable speed and control. Our production environments are designed around efficiency, readiness, and repeatability, so customers receive the same consistent quality, order after order.



ISO-Certified Global
Manufacturing



100,000+ MT
Profile Capacity



25,000 sq. ft. Centre of
Excellence (Hyderabad)



5+ Surface Finishes



Precision Cuts. Strong
Welds. Uniform Finish



Residential & Institu-
tional Projects



Repeatable Quality



India & Overseas
Manufacturing

Integrated Supply Chain & Quality Control

Complete Responsibility. Zero Gaps

IndiFrame takes full ownership of every step: from profile manufacturing to final installation. This eliminates fragmentation and reduces the common risks associated with multi-vendor models, and helps manage the supply chain end-to-end, giving customers one point of responsibility for quality, timelines, and service

Quality Assurance & Standards

IndiFrame follows a rigorous 30+ checkpoint quality process before any order is dispatched. Our profiles and finished systems are tested at government-certified CIPET laboratories and conform to:



BIS Standards



EN ISO and ASTM
international standards



RERA-aligned 5-year warranty
for manufacturing defects

Each apartment or home receives an individual warranty card, enabling end customers to contact IndiFrame directly, reducing post-handover burden on developers.

Digital Control from Estimates to Installation

Through our integrated Twin-Tech system (OpsGate + PartnerGate), every project milestone estimation, surveys, design approval, production, dispatch, installation, and service is tracked on a single dashboard. This visibility empowers developers, architects, and homeowners with clarity and predictable execution.



Premier Product Range




Engineered For Indian Homes

Designs For Every Space




Casement



Sliding



Fixed



Tilt & Turn




Villa Window




Slide & Fold



Lift & Slide




Arch




Combination




Bay & Bow




Double Hung




Single Hung



Vertical Slider



Glass-to-Glass



Grill Options



Systems For Every Requirement



60 Series
Casement System



Monorail
System



62 Series
Sliding System



80 Series
Sliding System




90 Series
Sliding System



99 Series
Sliding System



112 Series
Sliding System




Grill
System

Colours That Complement Your Interiors


Solid Colours



Milk White



Grey



Black

Laminates



Golden Oak



Dark Oak



Red Oak




Walnut



Grey Laminate



Black Laminate



60 Series Casement System



Where precision brings peace of mind

Built with smooth, clean lines, this series of windows is perfect for ample ventilation and clear outdoor views. Whether your home is traditional or modern, these windows fit in without compromising on what matters: everyday function and long-lasting durability. Every detail is engineered to bring order, comfort, and confidence to your spaces.

Choose from

- Single-open
- Double-open
- Fixed windows
- Grills for a refined finish (optional)

Why proud homeowners choose this system

3 different sizes of outer frames to suit your requirements. Double locking mechanism in the beading for better security.

Beading design for lower dust accumulation, with a 25% additional safety factor

- Capable of handling heights up to 8 Ft
- Compatible with all leading hardware
- Superior sealing properties with twin gasket mechanism
- Can be used with a multi-point locking system

Perfect for everyday living

It is an ideal choice for bedrooms, living rooms, and kitchens – the spaces where comfort and reliability matter most.

Maximum permissible height

8 Feet

Average wall thickness


2.2mm, extendable up to 2.5mm

Glazing options


Double Glazing: 20mm +/- 0.5mm

Single Glazing: 4mm to 12mm


60 Series Casement System




Small Outer Frame
(CW-GF-006)




Window Outer Frame
(CW-GF-001)




Large Outer Frame
(CW-GF-201)




Outward Window Sash
(CW-GF-002)




Outward Door Sash
(CW-GF-003)




Inward Window Sash
(CW-GF-N101)




Inward Door Sash
(CW-GF-046)




T-Mullion
(CW-GF-004)




Lap Joint Outer Frame
(CW-GF-047)




Mesh Sash
(CW-GF-007)




Glazing Bead (4-6mm)
(CW-GF-005N)





Glazing Bead (8mm)
(SCW-GF-016)



Glazing Bead (12mm)
(SCW-GF-015)



Double Glazing Bead (20mm)
(SW-GF-013N)



Clarity In Every Pane

60 Series Casement System

Monorail System (Fixed + Sliding)



The blend of minimal design and practical clarity

Get a clean, streamlined look with flexible configurations to suit compact or expansive spaces. Designed for uninterrupted views and smooth functionality, it works seamlessly in areas where airflow needs are limited, but clarity, ease, and reliability still matter. Every component is engineered to keep your spaces secure, quiet, and comfortable.

Choose from

- One side fixed
- Two sides fixed
- Sliding window option
- Add-on track for extended width
- Optional grills for added safety

Why homeowners choose the Monorail System

- Highly cost-efficient solution for openings with limited ventilation needs
- Integrated interlock for improved air-tightness
- Double-locking mechanism in beading for enhanced security
- Smooth operation suited to compact or wide horizontal spans
- Clean design that integrates naturally into modern spaces

Perfect for everyday practicality

Ideal for patios, porches, balconies, corridors, and other tight walkways. Also suited for large horizontal openings in contemporary homes and commercial spaces, without the additional cost of a dedicated mosquito screen track.

Maximum permissible height

8 Feet


Average wall thickness

2.2mm


Glazing options

4mm to 15mm (+/- 0.5mm)


Monorail System (Fixed + Sliding Windows)




Casement/Sliding Outer Frame
(CW-GF-036)




Sliding Window Sash
(SW-GF-011)




Casement/Sliding Mullion
(CW-GF-037)





Sliding Window Interlock
(SW-GF-014)



Sliding Glazing Bead (4-6mm)
(SW-GF-013N)



Fixed Glazing Bead (4-6mm)
(SW-GF-028)



**See More,
Live More**
Monorail System

62/90/112 Series Sliding System



Smooth-moving, modern living

This series is built for spaces that demand clarity, ease, and efficiency. With clean lines, effortless operation, and a range of configurations, these systems maximise natural light while saving space. Designed to blend into modern architecture, every variant delivers everyday comfort, consistent performance, and long-lasting reliability.

Choose from

- 2-panel, 3-panel, and 4-panel sliding options
- Single-hung and double-hung configurations
- Mesh or grill options
- Low-threshold option for seamless movement
- Multiple series sizes (62/90/ 112) for project-specific needs

Why homeowners choose the 62/90/112 Series Sliding System

- Available in three size variations to suit different opening widths
- Double-locking mechanism in beading for improved security
- Beading design is 25% stronger and reduces dust accumulation
- Compatible with all leading hardware systems
- Smooth and space-efficient solution for wide openings
- Strong sealing performance for comfortable interiors

Perfect for everyday living

Ideal for patios, balconies, porches, and long horizontal spans. Well-suited for contemporary homes and commercial spaces that require large glass panels without the added cost of a dedicated mosquito screen track.

Maximum permissible height

62 Series - 8 Feet | 90 Series - 8 Feet | 112 Series - 8 Feet

Average wall thickness


2.2mm, extendable up to 2.5mm

Glazing options


Single Glazing: 4mm to 12mm

Double Glazing: 20mm +/- 0.5mm


62/90/112 Series Sliding System




Sliding 2 Track Frame
(SW-GF-022)




Sliding 2.5 Track Frame
with Mesh Rail (SW-GF-020)




Sliding 3 Track Frame
(SW-GF-021)




Sliding Window Sash
(SW-GF-023)




Sliding Door Sash
(SW-GF-031)




Sliding Mega Door
Sash (SD-GF-001)




Sliding Window Mesh
Sash (SW-GF-012)




Sliding Door Mesh Sash
(SD-GF-002)




Sliding Sash Mullion
(SW-GF-030)




Sash Connector
(SW-GF-029)




Sliding Window Interlock
(SW-GF-025)




Screen Sash Mullion
(SW-GF-017)




Screen Sash Interlock
(SW-GF-018)




Sliding Door Interlock
(SW-GF-026)






Glazing Bead (4-6mm)
(SW-GF-027N)



Glazing Bead (10mm)
(SW-GF-013N)




Double Glazing
Bead (20mm)
(SW-GF-028)




62 Series Sliding System

90 Series Sliding System


112 Series Sliding System



62 Series Sliding System



90 Series Sliding System



112 Series Sliding System

**Smooth,
Secure,
Stunning**

62/90/112 Series Sliding system

80/99 Series Sliding System



Compact spaces with effortless clarity

The 80/99 Series Sliding System is built for small to medium openings, offering generous views within a clean, minimalist design. With flexible sash sizes, secure locking, and smooth operation, this system makes the most of limited space, bringing light, comfort, and practicality to bedrooms, living areas, and compact architectural layouts.

Choose from

- 2-panel and 3-panel options
- Bay and bow window configurations
- Lower-threshold designs for broader glass area
- Compatible add-ons across the sliding series
- Optional mesh or grill integrations

Why homeowners choose the 80/99 Series Sliding System

- Two sash size options to suit varied opening requirements
- Lower threshold enables larger glass surfaces in smaller spaces
- Similar aesthetic language as the 62/90/112 series
- Compatible with all leading hardware systems
- Double-locking beading for improved security
- Curved beading design is 25% stronger and reduces dust buildup
- Smooth, space-efficient operation ideal for compact rooms

Perfect for everyday living

A smart fit for medium-sized openings in bedrooms, living rooms, patios, porches, corridors, and budget homes. Suitable for commercial spaces that require clean sightlines and wide glass panels, without the added cost of a dedicated mosquito screen track.

Maximum permissible height

80 Series: 7 Feet | 99 Series: 7 Feet


Average wall thickness

2.0mm to 2.2mm, extendable to 2.5mm


Glazing options

Single Glazing: 4mm to 15mm (+/- 0.5mm)


80/99 Series Sliding System




Sliding 2.5 Track Frame
(SW-GF-010N)




Sliding 3 Track Frame
(SW-GF-032)




Sliding Window Sash
(SW-GF-011)




Sliding Door Sash
(SW-GF-033)




Sliding Window Mesh Sash
(SW-GF-012)




Sliding Door Mesh Sash
(SD-GF-002)




Sash Mullion
(SW-GF-016)




Screen Sash Mullion
(SW-GF-017)




Screen Sash Interlock
(SW-GF-018)




Sash Connector
(SW-GF-015)




Sliding Window Interlock
(SW-GF-014)




Sliding Door Interlock
(SD-GF-050)




Glazing Bead (4-6mm)
(SW-GF-013N)




80 Series Sliding System



99 Series Sliding System



80 Series Sliding System




99 Series Sliding System

**Effortless,
Safe, Elegant**

80/99 Series Sliding System

Slide and Fold System



Spaces that open up beautifully

Here is a series for homes that want flexibility, openness, and smooth movement in one elegant solution. With panels that glide and fold effortlessly, this system allows you to open up your living spaces to the outdoors and create a seamless indoor-outdoor connection.

Choose from

- 2-panel fold, 3-panel fold, and 4-panel fold options
- Configurations adaptable to wide or compact openings
- Compatible across leading hardware options

Why homeowners choose the Slide & Fold System

- Designed for smooth, easy movement with minimal effort
- Double-locking beading for enhanced security
- Curved beading design is 25% stronger and reduces dust accumulation
- Compatible with a wide range of hardware systems
- Creates wide, unobstructed openings for ventilation and flow
- Ideal for connecting indoor living with outdoor areas

Perfect for everyday living

Ideal for villas, high-rise balconies, patios, gardens, entertainment spaces, and large openings where versatility and openness matter. A great fit for homes that want to extend living areas and create a sense of spaciousness without compromising on comfort or protection from the elements.

System

60 Series Casement System

Maximum permissible height

8 Feet

Average wall thickness


2.2mm, extendable up to 2.5mm

Glazing options

Single Glazing: 4mm to 12mm

Double Glazing: 20mm (+/-0.5mm)

Tilt and Turn System



Ventilation and versatility

Two functions in one smart design-tilting inward at the top for controlled ventilation or opening fully inward like a casement window. Clean, modern, and easy to maintain, this series brings flexibility to compact spaces and delivers reliable performance in areas where outward openings are not feasible.

Choose from

- Tilt-only mode for gentle, controlled airflow
- Full inward casement opening for maximum ventilation
- Multi-locking options for enhanced security
- Compatible with mesh or grill configurations
- Easy-clean inward opening

Why homeowners choose the Tilt & Turn System

- Dual-function design: tilt for ventilation or turn for full access
- Multi-locking mechanism for added safety
- Strong sealing for reduced drafts and better energy efficiency
- Inward opening makes cleaning simple and convenient
- Reliable performance in limited exterior spaces
- Ideal for high-rise applications where outward openings are restricted

Perfect for everyday living

Ideal for bedrooms, compact rooms, city apartments, and places where safe, controlled ventilation is needed. A smart choice for bathrooms to maintain freshness and prevent moisture buildup. Perfect for high-rise buildings where outward-opening windows are not practical.

System

60 Series Casement System

Average wall thickness


2.2mm, extendable up to 2.5mm

Glazing options


Single Glazing: 4mm to 12mm

Double Glazing: 20mm (+/-0.5mm)


Auxiliary Profiles




Door Panel 1
(SCW-GF-017) (15mm)




Door Panel 2
(SCW-GF-014) (20mm)




Louver Blade
(SCW-GF-011)




Georgian Bar
(SCW-GF-013)




60 Coupler
(SCW-GF-008)




80-60 Coupler
(SCW-GF-007)




60 Tube Adopter
(SCW-GF-N101)




60 Any Angle Bay
Corner Adopter
(SCW-GF-N102)




Sliding Screen Sash
Frame (SW-GF-035)




Add On Track
(SW-GF-048)




60 Round Pipe
(SCW-GF-N103)




Switch Frame
(SCW-GF-N104)




Universal Cornice
(SCW-GF-N106)




Door Sash Cover
(SCW-GF-N108)




Universal Corner
(SCW-GF-N105)




Louver Shutter Bead
(SCW-GF-012)




88-60 Coupler
(SCW-GF-006)




112-60 Coupler
(SCW-GF-N107)



Low Threshold Aluminium
(SCW-GF-N109)



60 Baypole
(CW-GF-010)



90 Baypole
(SCW-GF-009)

Add-ons For More Comfort

Glazing options

IndiFrame windows are available with glazing options that support your needs – light, safety, heat, privacy, and everyday comfort.

Choose from

- Clear Glass: 5mm - 32mm
- Laminated Glass: 11.5 mm (2 layer), 18 mm (3 layer)
- DGU (Double Glazed Units): for stronger comfort and insulation

Finish options

- Reflective: reflective outside, clear inside
- Frosted: for privacy
- Customisation: available based on order size and requirement

Trusted glass partners

We work with India's leading glass manufacturers including Saint-Gobain, AIS, Gold Plus, and Gujarat Guardian. Glass is sourced/processed through BIS-certified facilities for dependable quality.

Reliable hardware

Our technical team carefully selects hardware from leading brands—so windows and doors operate smoothly and hold up well in Indian conditions.

What this means for you

- Reliable movement, everyday ease
- Better long-term durability
- Fewer avoidable service issues over time

Multiple Options To Secure Spaces

Door Fill Options

For doors and select enclosures, we offer infill options based on the finish and privacy you want.

Choose from

- PVC Boards
- uPVC Door Panels

(Availability depends on the selected system and application)

Add-Ons

A) Mesh Options

Mosquito Mesh (for sliding systems)

Available for 2.5-track and 3-track sliding windows.

Pleated Mesh (for windows and doors)

Suitable for most window and door types. Pleated mesh comes on an additional aluminium frame.

B) Security & Grills

Integrated Grill Systems

A clean solution where the grill is built into the uPVC outer frame—locked-in for added security.

External Security Grills

Grills fixed to the aperture. Finished with powder coating (65 microns) in customisable colours.

Sandwich Grills

Grill integrated between the glass for a clean, easy-to-maintain look.

In-built Georgian Bars

Optional in-built aluminium Georgian bars for a refined, classic finish.

Peace Of Mind, In Every Frame

Engineered to Last

Precision-built for durability.

Ready for Indian Conditions

Performs in heat, rain, dust, and noise.

Optimised Design

Consistent load-bearing performance.

Advanced Materials

Modern processes. Reliable results.

Cost-Effective & Controlled

Consistent load-bearing performance.

Strong & Stable

Consistent load-bearing performance.

Every IndiFrame system is backed by a clear warranty—so you can choose with confidence and live worry-free.



Operational Warranty
on windows and hardware



Profile Warranty*

7 years Profile Warranty*

*Solid Grey and Solid Black profiles



Lead Free



Fire Resistant



Termite Proof



Eco Friendly



Weather Resistant



Prevents Rainwater Seepage



Noise Control



Energy Saving



UV Protection



Low Maintenance




Prevents Dust Buildup



Pollution Resistant

Recognized For Our Vision & Growth



GreenFortune raises \$4.5 million funding for national expansion

GreenFortune, a windows and doors start-up, closed its \$4.5 million funding round, led by Fundamental, with participation from Titan Capital Winners Fund, existing investors Incubate Fund Asia, and others. The capital will be used to fuel national-level expansion. GreenFortune, founded in May 2022 is on a mission to revolutionise India's fenestrations industry by making premium-quality products affordable and accessible.

GREENFORTUNE ADDS \$4.5 M TO ITS KITTY

GreenFortune Secures \$4.5M Funding to Expand Nationwide and Enhance Tech Platform

The fresh capital, approximately INR 39 crore, will drive the company's ambitious plans for national expansion, a sixfold increase in volume, and the development of its proprietary PartnerGate platform into a full-stack solution to enhance customer service.

BY ENTREPRENEUR STAFF MAR 26, 2025

You're reading Entrepreneur India, an international franchise of Entrepreneur Media.

Leading uPVC Brand

Windows, Doors, Profiles, Glass, Reinforcement, & Hardware

WHY CHOOSE US

- 5 YEARS OPERATIONAL WARRANTY
- 1 YEAR FREE SERVICE

OUR STORY IN NUMBERS

- # TOTAL SQ. FT. COMPLETED: 80,000
- # NO. OF LOCATIONS SERVED: 91
- # NO. OF PROJECTS COMPLETED: 63

COLOURS

SOLID COLOURS: White, Black, Golden Oak, Dark Grey

Dilip Kumar and Pratyusha Kosaraju, co-founders, GreenFortune

H yderabad-based fenestration brand GreenFortune has successfully closed a \$4.5 million funding round, led by Fundamental with participation from Titan Capital Winners Fund, Incubate Fund Asia, and other existing investors. The fresh capital, approximately INR 39 crore, will drive the company's ambitious plans for national expansion, a sixfold increase in volume, and the development of its proprietary PartnerGate platform into a full-stack solution to enhance customer service.

High-Quality Standards, Tested & Certified



Test Name	Standard	Unit	Test Value Obtained
Density	ASTM D 792	g/cc	1.49
Flammability (Vertical burning) at 2.2mm thickness	UL-94		V-0
Limiting Oxygen Index	ASTM D 2863	%	42.6
Vicat Softening Point at 5Kg Load	ASTM D 1525	°C	82.1
Thermal Conductivity at 55°C Mean Temperature	ASTM D 1530	W/mk	0.242
Co-efficient of Linear Thermal Expansion (30°C to 60°C)	ASTM E 228	/°C	4.95 X 10-5
Tensile Strength	ASTM D 638	MPA	27.1
Elongation at break	ASTM D 638	%	50.0
Charpy Impact Strength (Notched)	ASTM D 6110	kJ/m2	47.87
Flexural Modulus	ASTM D 790	N/mm2	2762
Flexural Strength	ASTM D 790	N/mm2	47.62
Hardness (Shore D)	ASTM D 2240		76
Ball Impact Hardness (Rockwell Hardness - R - Scale)	ASTM D 785		58

Partnering With The Best

Developers / Builders



Institutional/Offices/Hospitals



Institutional/School/Colleges



Government



and many more...



Note: Includes projects executed by our partner fabricators.

Our Focus Markets

Where we operate

We serve homeowners across key regions, and take up large project orders pan-India.



Telangana | Andhra Pradesh | Maharashtra | Karnataka
(Pan-India support for large project orders)

IndiFrame Experience Centres

Visit us to explore products, finishes, and configurations in person

Mumbai

2nd Floor, Auris Galleria,
 218, Malad West,
 Mumbai, Maharashtra
 400064

Hyderabad

4th floor, Vilax Prime, 5-35,
 189-A, 100 Feet Rd, Prashanti
 Nagar, I.E, Kukatpally,
 Hyderabad, Telangana 500072

On-ground IndiFrame Advisors

Our teams can support nearby towns and surrounding catchments:

Warangal | Karimnagar | Khammam | Pune | Nagpur

Reach us instantly

WhatsApp: +91 9959083498

www.indiframe.com



Ready To Expand Across India



Maharashtra

Telangana

Andhra Pradesh

Karnataka

Dealer Network

For our growing
dealer network



Scan here



INDIFRAME

+91 9959083498
contact@indiframe.com
indiframe.com